

Subsection (b) of 35 U.S.C. § 132, effective on May 29, 2000, provides for continued examination of an utility or plant application filed on or after June 8, 1995.

See The American Inventors Protection Act of 1999 (AIPA).

	IFW RCA
Application Number	09/826,973
Filing Date	April 5, 2001
First Named Inventor	Gary T. Seim
Group Art Unit	3762
Examiner Name	George Manuel
Attorney Docket Number	279.363US1
Customer No.	21186

This is a Request for Continued Examination (RCE) under 37 CFR § 1.114 of the above-identified application entitled CARDIAC RHYTHM MANAGEMENT SYSTEM SYNCHRONIZING ATRIAL SHOCK TO VENTRICULAR DEPOLARIZATION BASED ON LENGTH OF SENSING REFRACTORY.

Submission required under 37 C.F.R. § 1.114

- 1. Consider the amendment(s)/reply under 37 C.F.R. § 1.116 previously filed on .
- 2. Consider the arguments in the Appeal Brief or Reply Brief previously filed on .
- 3. __ An Amendment Under 37 CFR § 1.116 (pages) is enclosed.
- 4. _ A new power of attorney (pages) is enclosed.
- 5. X An Information Disclosure Statement is enclosed (2 pgs.).
 - a. 1 Form 1449
 - b. 2 Copies of IDS Citations
- 6. X A check in the amount of \$770.00 is attached to pay the RCE filing fee required under C.F.R. § 1.17(e).
- 7. X The Commissioner is hereby authorized to credit overpayments or charge any fees set forth in 37 CFR §§ 1.16 through 1.18 to Deposit Account No. 19-0743.
- 8. _ A Petition for Extension of Time in the prior application (pages) is enclosed along with a check in the amount of to pay the extension fee.

SCHWEGMAN, LUNDBERG, WOESSNER & KLUTH, P.A.

Atty: Suneel Arora Reg. No. 42,267

CERTIFICATE UNDER 37 CFR 1.8: The undersigned hereby certifies that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail, in an envelope addressed to: Attn-Mail Stop RCE, Commissioner for Patents, P.O. Box 1450, Alexandria, VA

22313-1450, on this day of July, 2004

Signature

Name

07/27/2004 MAHMED1 00000086 09826973

01 FC:1801

770.00 DP